

Contents

Cam Locks	4
Cam Latches	5
Magnetic Cam Lock	6
Small Diameter	7



Cam Locks

A B C D E F

3 58 03 - J - 14

A Options

- J**¹ Full Thread
F² Spin Riveted Cam
O³ Internal O-Ring
C Shell Clip (Specify Dimension)
N Numbered

¹ Full thread not available on 4 Series or 3/8" Shell

² Only available on 338, 358 and 458

³ Not available on 338

B Lock Model

- 3** Cam Lock
4 Squared Head

C Shell Length

- 38** 3/8"
58 5/8"
78 7/8"
11 1-1/8"
13 1-3/8"

D Cam Rotation

See Page ## for Cam Rotation

E Cam Dimensions


See Page ## for Cam Dimensions

F Finish

- 14** Nickel (Standard)
03 Brass
353 Dull Black
 Other finishes available




Dimensions



338xx

4xxxx

3xxxx



Recommended mounting hole


Features

- N54G Keyway
- Up to 200 Combinations
- Available in KA, KD, MK
- 5 Brass Disc Tumblers
- Customer-Oriented Development Available

Accessories



SL18441
Ring



SL18629
Washer



SL18494
Attaching Plate



SL18727
Wood Washer
Internal Tooth



SL18426
Wood Washer
External Tooth



PU2015
Nylon Washer



PD1046
Protective Collar



SU16647
Clip for Shell



PU10139
Spline Filler

Cam Lock Kits

A B C D E F

3 58 0 - 14 - 11

A Options

B Lock Model

- 3** Standard Cam Lock
- 8** Magnetic Cam Lock

C Shell Length

- 38** 3/8"
- 58** 5/8"
- 78** 7/8"
- 11** 1-1/8"
- 13** 1-3/8"

D Kit

"0" indicates Kit


E Finish

- 14** Nickel (Standard)
 - 03** Brass
 - 353** Dull Black
- Other finishes available

F Packaging

- 11** Poly Bagged

Dimensions



Features

.

Accessories Included



SL18403
90° Stop
Washer



SL18406
180° Stop
Washer



SL18426
Wood Washer



SL18441
Ring



PD1004
SEMS Screw



PD1005
Hex Nut



J-Cam
1-1/4" Inch



JQX-Cam
1-1/4" Inch
1/4" Offset

Cam Latches

A **B** **C** **D** **E** **F**
A 58 03 J 14

A Options

C Shell Clip (Specify Dimension)

B Lock Model

A Thumb Turn
B Screwdriver
H Allen Key

C Shell Length

58 5/8"
78 7/8"
11 1-1/8"
13¹ 1-3/8"

¹ Only available with model A (Thumb Turn)

D Cam Rotation

See Page ## for Cam Rotation

E Cam Dimensions


See Page ## for Cam Dimensions

F Finish


14 Nickel (Standard)
03 Brass
353 Dull Black
Other finishes available



Dimensions



SL18441
Ring



SL18629
Washer



SL18494
Attaching Plate



SL18727
Wood Washer
Internal Tooth



SL18426
Wood Washer
Internal Tooth



PU2015
Nylon Washer



PD1046
Protective Collar



SU16647
Clip for Shell



Magnetic Cam Lock

A **B** **C** **D** **E** **F**

8 58 03 - J - 14



A Options

C Shell Clip (Specify Dimension)

B Lock Model

8 Magnetic Cam Lock

C Shell Length

58 5/8"
78 7/8"
11 1-1/8"
13 1-3/8"

D Cam Rotation

See Page ## for Cam Rotation


E Cam Dimensions

See Page ## for Cam Dimensions

F Finish

14 Nickel (Standard)
03 Brass
353 Dull Black
 Other finishes available

Dimensions



Features

- Weatherproof, tamper-resistant
- Up to 1,500 combinations
- Available in KA, KD
- Patented Technology
- Customer-Oriented Development Available

Accessories



SL18441
Ring



SL18629
Washer



SL18494
Attaching Plate



SL18727
Wood Washer
Internal Tooth



SL18426
Wood Washer
Internal Tooth



PU2015
Nylon Washer



SU16647
Clip for Shell

Small Diameter Cam Lock

A B C D E F
5 58 03 - J - 353



A Options

B Lock Model

5 Removable Core Cam Lock

C Shell Length, Shape

58 1-1/4", Straight Flanges
57 1-1/4", Corner Flanges
59 1-1/4", Straight Flanges

D Cam Rotation

See Page ## for Cam Rotation

E Cam Dimensions


See Page ## for Cam Dimensions

F Finish

Nickel

Dull Black (Standard)

Dimensions



Features

- N54G Keyway
- Up to 200 Combinations
- Available in KA, KD, MK
- 5 Brass Disc Tumblers
- Customer-Oriented Development Available



PD1047
Shell Ferrule



SL18662
Shell Ferrule



Metal Panel Cam Locks

A **B** **C** **D** **E** **F**

5 78 03 - J - 14



A Options

B **Lock Model**
5 Removable Core


C **Shell Length**
78 7/8"

D **Cam Rotation**
See Page ## for Cam Rotation

E **Cam Dimensions**
See Page ## for Cam Dimensions

F **Finish**
14 Nickel (Standard)
03 Brass
353 Dull Black
Other finishes available

Dimensions



Features

- N54G Keyway
- Push-in Mount
- Up to 200 Combinations
- Available in KA, KD, MK
- 5 Brass Disc Tumblers

Accessories

Metal Panel Cam Locks

A **B** **C** **D** **E** **F**
3 12 03 J 14

A Options

- O** Internal O-Ring
F Sprin Rivet Cam

B Lock Model

- 3** Standard Cam Lock
5 Cam Retaining Ring

C Shell Length

12 1/2"

D Cam Rotation

See Page ## for Cam Rotation

E Cam Dimensions

See Page ## for Cam Dimensions

F Finish

Dimensions

Features

- N54G Keyway
- C-Clip Mount (No Hex Nut)
- Up to 200 Combinations
- Available in KA, KD, MK
- 5 Brass Disc Tumblers



SU16647
Clip for Shell



Miniature Cam Lock

A **B** **C** **D** **E** **F**

C 302 C - KA - 26



A Options

B Lock Model

C Miniature Cam Lock

C Shell Length

302 .630"

D Cam Rotation

90° Clockwise (12 to 3)


E Cam Dimension

1" Long, Straight Cam

F Finish

26 Chrome

Dimensions



Features

- 2 Keys, Lock, Cam & Hex nut
- Keyed Alike (KA)
- 4 Disc Tumbler Cam Lock

Accessories

Tubular Cam Lock

A **B** **C** **D** **E** **F**

2D18 03 - J - 26



A Options

C Shell Clip (Specify Dimension)

B Lock Model

2D Tubular Cam Lock (Zinc)
2 Tubular Cam Lock (Brass)

C Shell Length

11¹ 11mm (7/16")
13¹ 13mm (1/2")
18 18mm (11/16")
25 25mm (15/16")
30 30mm (1-1/8")

¹ Only Available on 2 Model (Brass)

D Cam Rotation

See Page ## for Cam Rotation

E Cam Dimensions


See Page ## for Cam Dimensions

F Finish

26 Chrome

Other finishes available, but are not stocked. Please inquire for lead times.

Dimensions



Recommended mounting hole


Features

- 1137S Steel Tubular Key
- Up to 60,000 Combinations
- 7 Brass Pins
- KA, KD

Accessories



SL18441
Ring



SL18629
Washer



SL18494
Attaching Plate



SL18727
Wood Washer
Internal Tooth



SL18426
Wood Washer
Internal Tooth



PU2015
Nylon Washer



PD1046
Protective Collar



SU16647
Clip for Shell



Tubular Cam Lock Kits

A
B
C
D
E
F

2D 18 00 - 2 - KT

A Options

B Lock Model
 2D Tubular Cam Lock (Zinc)


C Shell Length
 18 18mm (11/16")
 25 25mm (15/16")
 30 30mm (1-1/8")

D Kit
 "00" Indicated Kit

E Keys
 Kits include 2 keys

F Finish
 26 Chrome

Dimensions




Features

.

Accessories

E Cam Dimensions



Length

A	2-3/8"	60 mm
B	2-1/4"	57 mm
C	2-1/8"	54 mm
D	2"	51 mm
E	1-7/8"	48 mm
F	1-3/4"	44 mm
G	1-5/8"	41 mm
H	1-1/2"	38 mm
I	1-3/8"	35 mm
J	1-1/4"	32 mm
K	1-1/8"	29 mm
L	1"	25 mm
M	7/8"	22 mm
N*	3/4"	19 mm

Offset

O	1/2"	13 mm
P	3/8"	10 mm
Q	1/4"	6 mm
R	3/16"	5 mm
S	1/8"	3 mm
T	1/16"	1.6 mm

Inset

Inset

U	1/16"	1.6 mm
V	1/8"	3 mm
W	3/16"	5 mm
X	1/4"	6 mm
Y	3/8"	10 mm
Z	1/2"	13 mm

Examples

- J:** 1-1/4" Straight Cam
- JX:** 1-1/4" Cam with 1/4" Inset
- GR:** 1-5/8" Cam with 3/16" Offset

D Cam Rotation

CODE	Locked	Open	Key Removal
01	12	3	1
02	12	9	1
03	12	6	2
04	3	6	2
05	3	12	12
06	3	9	9
31	6	9	9
32	6	3	3
33	6	12	12
34	9	12	12
35	9	6	6
36	9	3	3
61	3	12	12
62	3	9	9
63	6	9	9
64	6	3	3
65	6	12	12
93	9	12	12
94	9	6	6
95	9	3	3



Drawer Lock

A B C E F

970 - 620 - 353



A Options

N Numbered

B Lock Model

9 Drawer Lock

C Shell Options

70 Small Diameter, 15/16"
74 Threaded Shell
75 Threaded Shell, IC Core

D Cam Rotation

N/A

E Cam Style*

620 Straight (Standard)
617 Long, double end
608 Offset

Cam Options only on 970

F Finish


14 Nickel
03 Brass
353 Dull Black

Other finishes available

970 Standard Finish: Dull Black

974 Standard Finish: Nickel

Dimensions



Features

- N54G Keyway
- Up to 200 combinations
- Removable Core
- KA, KD, MK
- Customer-Oriented Development Available

Accessories



PD1047
Shell Ferrule



SL18662
Shell Ferrule



Drawer Lock

A

B

C

E

F

9 80 - 620 - 353

A Options

N Numbered

B Lock Model

9 Drawer Lock

C Shell Length

77 7/8" Resin Shell
80 7/8" Shell
82 7/8" Shell, Unassembled
86 1-1/8" Shell
87 1-1/8" Shell, Unassembled
88 1-1/4" Shell
89 1-1/4" Shell, Unassembled

D Cam Rotation

N/A

E Cam Style


620 Straight (Standard)
617 Long, double end
608 Offset

F Finish

14 Nickel (Standard)
03 Brass
353 Dull Black
Other finishes available



Dimensions



Features

- N54G Keyway
- Up to 200 combinations
- 5 brass disc tumblers
- Available in KA, KD, MK
- Customer-Oriented Development Available

Accessories



S308A
Drawer Lock
Spacer




S308
Backplate

Drawer Lock

A B C F

9 84 - 03



984 Shown

A Options

HD Heavy Duty Spring Latch
N Numbered

B Lock Model

9 Drawer Lock

C Latch Options

84 Spring Latch
85 Dead Bolt (Half Mortise)

D Cam Rotation

N/A

E Cam Dimensions


N/A

F Finish

03 Brass

Other finishes available

Dimensions



Features

- N54G Keyway
- Up to 200 combinations
- 5 brass disc tumblers
- Available in KA, KD, MK

Accessories



Drawer Lock

O1014S Keying (EB Codes)

A **B** **C** **D** **E**

17 0 1 - 14

A Options

B Lock Model

17 Drawer Lock (EB Codes)

C Mounting Orientation

0 Horizontal
5 Vertical

D Shell Length

1 3/4"
2 7/8"
3 1-1/8"

E Finish

14 Nickel (Standard)
03 Brass
Other finishes available

Dimensions

Features

- O1014S Brass Milled Key
- Up to 100 Combinations
- Available in KA,m KD, and MK

Accessories

Plunger Lock

A **B** **C** **F****9 90 - 14****A Options****N** Numbered**B Lock Model****9** Disc Tumbler Plunger Lock
G9 Tubular Plunger Lock**C Model Options****90** Round bolt, 7/16" projection
92 Round bolt, Key Retaining
94 T-Bolt, 5/32" projection
95 T-Bolt, 9/32" projection**D Cam Rotation****N/A****E Cam Dimensions****N/A****F Finish****14** Nickel (Standard)
Other finishes available**Dimensions****Features**

- N54G Keyway
- Up to 200 combinations
- 5 brass disc tumblers
- Available in KA, KD, MK

Accessories

Switch Lock

A
B
C
D
E
S2D 321 Q - 26



A Options

B Lock Model

S2D Tubular Switch Lock

C Key Removal

321 1 Position Removal
323 2 Position Removal
327 Momentary Contact, Spring


D Terminal Options

--- Solder Terminal
Q Spade Terminal
S Screw Terminal

E Finish

26 Chrome

Dimensions




Features

•

Accessories


Filing Cabinet Lock

A **B** **E** **F****47 01 - 14****A Options****N** **Numbered****B Lock Model****47** **Filing Cabinet Lock****C Shell Length****00** **1-3/4"****01** **2"**

Shell length is dependent on bolt option

D Cam Rotation**N/A****E Bolt Options****00** **Round Bolt****01** **Rectangular Bolt****F Finish****14** **Nickel (Standard)**

Other finishes available

Dimensions**Features**

- N54G Keyway
- Up to 200 combinations
- 5 brass pin tumblers, can be keyed to tumbler locks
- Available in KA, KD, MK

Accessories

Showcase Lock

247 - 14

Finish

14 Nickel (Standard)

Other finishes available



Features

- N54G Keyway
- Up to 200 Combinations
- 5 Brass Disc Tumblers
- Available in KA, KD, MK
- 1054UN Keyway optional

Patio Door Lock

300 - 59

Finish

59 Grey Powder-coat

Features

- 1054UN Steel Stamped Key
- 100 Combinations
- 5 Brass Disc Tumblers
- Available in KA, KD

Window Lock

203 - 03

Finish

03 Brass


Features

- 1054UN Steel Stamped Key
- 100 Combinations
- 5 Brass Disc Tumblers
- Available in KA, KD



T-Handle Inner Core

2M8871



GM8871MK3R

8 Key Changes



Features

- 1137S Steel Tubular Key
- Up to 60,000 Combinations
- 7 Brass Pins
- Available in KA, KD

Vending Lock

P158

Vending Lock

CPK1010

Beaver High Security Lock

P158K

Key for P158

RPT28K

Key for CPK1010



CPK1010



P158

Features

A compact radial pin tumbler lock that can be retrofitted to many of the common types of bulk vending machines in the market.

Tubluar T-Handles

KL6

This spring-loaded, pop-out T-handle has become a standard in the vending industry. Accepts a range of locking inserts, including those that meet NAMA dimensional standards. Available in 1/4 or 1/2 turn operation. When unlocked, the handle rotates 90° or 180°. The stop plate can be re-positioned to allow left or right rotation.




KLW

A spring-loaded, -pop-out T-handle that accepts a range of locking inserts, including those that meet NAMA dimensional standards. Available with a wide range of locking studs to suit a broad variety of applications. When unlocked, the handle is freewheeling (i.e. rotates 360°)






KLV

The KLV spring-loaded, pop-out T-handle has a rear-mounted flange and body assembly for increased cantal resistance. Accepts a range of locking inserts, including those that meet NAMA dimensional standards.






Disc Tumbler Handles




L110



T305



T308




Features

- 100 Combinations
- 5 Disc Tumblers
- KA (549, 560, 566 only)
- KD
- Chrome Finish

Mailbox Locks

4096-14

Post Office Mailbox Lock



1600-04-11

Letter Box Lock



1650-04-11

Letter Box Lock
with Long ear



1625-04-11

Letter Box Lock
with 1/2" Bolt



1675-04-11

Letter Box Lock
for Couch Boxes



113-14-51

Mail Lock
Spring Clip



114-14-51

Mail Lock
Threaded Barrel



C45891-MX-14-11

Cam Lock for Mailbox